	ION/CONTRA				- -	PAGE 1 OF				
2. CONTRACT NO.		3. AWARD/EFFECTIVE d. ORDER NUMBE DATE			5. SOLICITATION NUMBER				6. SOLICITATION ISSUE	
					HSCG40-17-Q-4				DATE 03/29/2017	
		a. NAME			b. TELEPHON					DUE DATE/
7. FOR SOLICITATION INFORMATION CALL: SK2 KIRK MILLER					calls)			LOCAL TIME 04/12/2017		
		SK2 KIRK MILI	_ER		(410) 762-6434			12 PM		
9. ISSUED BY		COD	Ē L	10. THIS ACQUISI	TION IS X UN	RESTF	RICTED OR	SET	ASIDE:	% FOR:
USCG SURFACE FORCES LOGISTICS CENTER 2401 HAWKINS POINT ROAD CPD-2, BLDG 3				SMALL BUSINESS WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM NAICS:						
BALTIMORE, MD 21226-5000 410-762-6434				SERVICE-DISABLED SIZE STANDARD: SMALL BUSINESS 8 (A)						
11. DELIVERY FOR FOB DESTINA- TION UNLESS BLOCK IS MARKED			S	13b. RATING 13a. THIS CONTRACT IS A RATED ORDER UNDER						
Песс	SEE SCHEDULE				15 CFR 700)	14.	14. METHOD OF S		. —	
15. DELIVER TO	nebule	COD	-	16. ADMINISTERE	X RFQ IFB RFP 16. ADMINISTERED BY CODE					RFP
	INS POINT RO ROOM - BLDO E, MD 21226	DAD		SAME AS B	LOCK 9					
17a. CONTRACTOR/ CODE FACILITY CODE			18a. PAYMENT WILL BE MADE BY CODE							
VENDOR:		COBL		SAME AS BLOCK 9						
POC: EMAIL: TELEPHONE NO.										
17b. CHECK		S DIFFERENT AND PUT	SUCH ADDRESS IN	18b. SUBMIT INV BELOW IS C			SHOWN IN BI	LOCK 18	a UNLESS	BLOCK
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES				21. QUANTITY	22. UNIT	23. UNIT PR	ICE	AM	24. MOUNT
		SEE ATTACHI	ED PAGE(S)							
	DUN#									
	TIN #							The second secon		
	PLEASE E-M KIRK.MILLEF	AIL QUOTATION	NTO:					A. B. Carlotte and C. Carlotte		
25 ACCOUNTING		rse and/or Attach Additio	nal Sheets as Necessa	ary)			AL AMARRA	MOUNT	· /= 0 /	
25. ACCOUNTING AND APPROPRIATION DATA					26. TOTAL AWARD AMOUNT (For Govt. Use Only)					
		BY REFERENCE FAR 52				DENDA	×	ARE [T ATTACHED
		D TO SIGN THIS DOCL			9. AWARD OF C	ONTRA	ACT: REF.] <u> </u>		OFFER
DELIVER ALL	ITEMS SET FORTH	CONTRACTOR AGREE HOR OTHERWISE IDEI TO THE TERMS AND (NTIFIED ABOVE AND	ON ANY (E	ATED BLOCK 5), INCL ET FORTH HER	JDING		ONS OR	CHANGES	
	OF OFFEROR/COM		TONO OF LOIFI	31a. UNITED STA						FFICER)
30b. NAME AND TITLE OF SIGNER (Type or print) 30c. DATE SIGNED				31b. NAME OF CONTRACTING OFFICER (Type or print) 31c. DATE SIGNED						
AUTHORIZED FO	R LOCAL REPRODI	ICTION				074	NDADD F			

AUTHORIZED FOR LOCAL REPRODUCTION PREVIOUS EDITION IS NOT USABLE

STANDARD FORM 1449 (REV. 2/2012) Prescribed by GSA - FAR (48 CFR) 53.212

DEPARTMENT OF HOMELAND SECURITY PROCUREMENT REQUEST - CONTINUATION SHEET

PROCUREMENT REQUEST NO. 2117407B4500AN125-0000

	PROCUREMENT REQUEST - CONTINUATION SHEET	211/40/64	500AN125-0000		
	9. DESCRIPTION OF ITEMS OR SERVICES				
ITEM			T	ESTIMA	TED COST
NO. (A)	ITEM OR SERVICE (Include Specifications and Special Instructions) (B)	QTY (C)	UNIT (D)	UNIT (E)	AMOUNT (F)
NO.	ITEM OR SERVICE (Include Specifications and Special Instructions) (B) 4010 01-643-2077 WIRE ROPE ASSEMBLY MATERIAL IS TO BE MANUFACTURED AND PACKAGED IAW USCG PURCHASE DESCRIPTION SPECIFICATIONS AND REQUIREMENTS. NO WAIVERS SHALL BE GRANTED. MFG NAME: UNITED STATES COAST GUARD SFLC PART_NBR: CGWR78125637BOSS			UNIT (E)	AMOUNT

FOR OFFICIAL USE ONLY

PURCHASE DESCRIPTION

ACN/NSN: 4010-01-643-2077 SHELF LIFE CD: 0 PRIMARY CAGEC: 81340 P/N: CGWR78125637BOSS ITEM NAME: WIRE ROPE ASSEMBLY U/I: EA

VESSEL CLASS: 225 240

DESCRIPTIVE/ SPEC DATA:

NSN: 4010-01-643-2077 MPN: CGWR78125637BOSS

LENGHT: 125 FT DIAMETER: 7/8 INCH

STRAND CLASS: 6 X 36 (GENERAL PURPOSE)

STRAND LAY: RRL

WIRE CORE TYPE: IWRC

WIRE ROPE GRADE: XIPS (EIPS) RBS: > 52,000 LBS (26.0 TONS)

FINISH: BRIGHT

WIRE ENDS: 1-POURED OPEN SPELTER SOCKET, 2- DOUBLE SEIZED

NOTE1: WIRE ROPE (WR) SHALL BE PRESSURE LUBE WITH KIRKPATRICK'S DYNAGARD BLUE OR DYNAGARD E.

NOTE2: THE WR/ SOCKET ASSEMBLY SHALL BE WEIGHT TESTED TO 40% OF THE STOCK WR RATED BREAKING STREGTH (RBS). THE WEIGHT CERTIFICATE SHALL INCLUDE, AS A MINIMUM:

A.WR DESCRIPTION.

B.UNIQUE WEIGHT TEST CERT. SERIAL NUMBER (S/N).

WEIGHT TEST DATE.

D. THE ASSEMBLED WR FACTOR OF SAFETY.

E. THE WR PROOF TEST PULL (LBS).

THE MANUFACTURER (MFR), AND BRAND NAMES, FOR THE STOCK WR & SOCKET UTILIZED (EX; "UNION" FLEX-X 19 WIRE ROPE WITH A "CROSBY" G-416 9/16-5/8 IN OPEN SPELTER SOCKET).

NOTE3: MFR SHALL INSTALL A CROSBY G-416 OPEN SPELTER SOCKET IN ONE END OF WR & USE WIRELOCK SOCKETING COMPOUND TO SECURE SOCKET TO WR.

NOTE4: COPY OF CERTIFICATION DOCUMENTING THE SUCCESSFUL COMPLETION OF THE WEIGHT TEST SHALL BE INCLUDED INSIDE THE WR PACKAGING. INCLUDED THE FOLLOWING WITH THE WEIGHT CERTIFICATE:

A.THE STOCK WR MILL TEST CERTIFICATE (USDL OSHA FORM-4).

B.THE CROSBY G-416 CERTIFICATE OF CONFORMANCE (MEET REQ. EN 1-204-3.1) FOR SOCKET SIZE INSTALLED IN WR.

C.SPELTER SOCKET G-416 MATERIAL CHEMISTRY REPORT AS PROVIDED BY CROSBY FOR INSTALLED SOCKET (CERTIFICATE OF CONFORMANCE & CHEMISTRY REPORT SHALL BE FOR THE SAME SOCKET PRODUCTION BATCH).

D.WIRELOCK SOCKETING COMPOUND DATA SHEET & MSDS SHEET.

E.DYNAGARD BLUE OR DYNAGARD E WIRE ROPE LUBE DATA SHEET & MSDS SHEET.

NOTES: AN ID TAG SHALL BE AFFIXED TO WR SOCKET SIDE & IT SHALL LIST ROPE LENGTH, DIAMETER, SUPPLIER'S NAME, S/N MATCHING THE ONE IN WEIGHT CERT, & THE WR PULL TEST RESULT (LBS).

NOTE6: THE FINISHED WR'S SOCKET & ID TAG SHALL BE EASILY ACCESSIBLE FOR VISUAL INSPECTION. ROPE SOCKET END SHALL NOT BE PLACED INSIDE REEL'S HUB.

PRESERVATION, PACKING, & MARKING SHALL BE IN ACCORDANCE WITH SPECIFICATIONS:

SP-PP&M-001 REV D **DATED:** 10/01/00 INDIVIDUALLY PACKAGED & MARK. INCLUDE NSN BARCODE.

FOR OFFICIAL USE ONLY

Request for Quotation USCG SURFACE FORCES LOGISTICS CENTER 2401 Hawkins Point Road, Mail Stop: 25 Baltimore, MD 21226-5000

From: SK2 KIRK MILLER	Voice: 410-762- 6434 E-mail: KIRK.MILLER@USCG.MIL
Please complete (Must fill in this area at all times)	L-IIIaii. Nikki.wiillek@030d.wiil
INDIVIDUAL PACK & MARKYESNO	
DATE REQUIRED: <u>04/07/17.</u>	
PROPOSED DELIVERY DATE:	- Allerdan in
PAYMENT TERMS	_ SMALL BUSINESSYESNO
TIN NO:	
DUNS NO:	_
ACTIVE IN CENTRAL CONTRACTOR REGISTRATI www.ccr.gov):YESNO	ON (REQUIRED FOR AWARD - SEE
GSA CONTRACT?YESNO CONTRACT	Γ NUMBER:
Note: <u>FOB Destination pricing is preferred</u> , how quotation must include as a separate line item	
Estimated shipping charge: \$	
SHIP TO: USCG SURFACE FORCES LOGISTICS CI RECEIVING ROOM – BUILDING 88 2401 HAWKINS POINT ROAD BALTIMORE, MD 21226	ENTER

PREPARATION FOR DELIVERY

All material shipped to the U.S. Coast Guard Surface Forces Logistics Center, Baltimore, MD, must be accompanied by an itemized packing list securely attached to the outside of the package. All packing lists shall cite the Purchase Order Number (when issued after award) with the package in such a manner as to provide identification.

Material shall be packed for shipment in such a manner as to afford adequate protection to the item against corrosion, deterioration, and physical damage during shipment from the supply source to Surface Forces Logistic Center locations. Package shall also provide adequate protection for warehouse storage and multiple shipments.

All packages shall have the Purchase Order Number, Stock Number and Vendor name and Part Number clearly marked on the exterior of the package. All deliveries are to be made Monday through Friday between the hours of 7:00 A.M. and 1:00 P.M.

USCG /SFLC SP-PP&M-001 DATED 05/95 REVISION PRESERVATION, PACKAGING & MARKING

PRESERVATION: Each piece or assembly that makes up one each of any contract line item (CLIN) shall be preserved in accordance with ASTM-D-3951.

PACKAGING: Each preserved contract line item shall be packed in its own box as needed to meet the requirements of ASTM-D-3951. This package shall be considered a unit pack. This unit pack shall meet the requirements of a shipping container.

UNITIZATION: Unit packs can be unitized as specified in ASTM-D 3951.

MARKING: Marking shall be clear, legible, permanent and in English.

a.UNIT PACKAGES: Shall be marked as specified herein.

National Stock Number/ Activity Control Number.

Item Name

Part Number (as shipped)

Purchase Order / Contract Number

Date of Manufacturer/Repair

The Words: COAST GUARD SFLC MATERIAL CONDITION (A)

Quantity & Unit of Issue (i.e. 1-EA)

Hazardous Material Marking (As required in Code of Federal

Regulations (CFR) section 4).

Flash Point (If item is a liquid with a flash point of 93.3

degrees C (200 Degrees F) or less.)

Propellant Chemical Name (Aerosol Containers only).

a. UNITIZATION: If unitization is used as the final shipping container the unitized pack for one stock number shall be marked as specified below, see Single Stock Number. If there are multiple stock numbers involved see, Multiple Stock Numbers herein. For no reason shall more then one order be unitized together.

Single Stock Number

National Stock Number/ Activity Control Number.

Purchase Order / Contract Number

The Words: COAST GUARD SFLC MATERIAL CONDITION (A).

Quantity & Unit of Issue (i.e. 1-EA) Hazardous Material Marking (If needed and as required in

Code of Federal Regulations (CFR) section 4).

Flash Point (If item is a liquid with a flash point of 93.3

degrees C (200 Degrees F) or less.).
The Words: COAST GUARD SFLC MATERIAL, MULTIPACK

Multiple Stock Numbers

ALL National Stock Numbers/ Activity Control Numbers. Purchase Order / Contract Number
The Words: COAST GUARD SFLC MATERIAL, CONDITION (A).
Quantity & Unit of Issue (i.e. 1-EA)
Hazardous Material Marking (If needed and as required in Code of Federal Regulations (CFR) section 4).
Flash Point (If item is a liquid with a flash point of 93.3 degrees C (200 Degrees F) or less.).
The Words: COAST GUARD SFLC MATERIAL, MULTIPACK

BAR CODING: All bar coding required herein shall be Code 39, also called Code 3 of 9 in accordance with ANSI/AIM BC1 and MIL-STD-1189B. ALL Stock numbered items shall be bar coded.

- a. The standard marking required in MARKING for all packaging configurations can be applied separately or as part of the Bar Code Label. If the latter option is used the label size shall be adjusted appropriately.
- b. The stock number or numbers, and purchase order / contract number shall be bar coded with Human Readable Interpretation (HRI) immediately below the bar coding on unit and unitized packs.
- c. All HRI shall be placed below its associated bar code. The label shall be intended for long term indoor applications where the labels will endure intermittent outdoor exposure. Each label shall be for porous surfaces and consist of paper without plastic laminate.

Specifications cited in this order may be obtained from:

For Specifications from the US Government contact:

STANDARDIZATION DOCUMENTS ORDER DESK
BUILDING 4D, SECTION D
700 ROBBINS AVE.
PHILADELPHIA, PA 19111-5094
TELEX #: 834295
WESTERN UNION #: 710-670-1685
TELEPHONE #: (215) 697-3321 (EXPRESS SHIPMENT PICKUP)
TELEPHONE ORDER ENTRY SYSTEM (TOES) #: (215) 697-1187 through and including (215) 697-1197.

For Specifications from Commercial sources contact:

American Society for Testing and Materials (ASTM) 100 Barr Harbor Drive

West Conshocken, PA 19428-2959 Phone: 610-832-9500 Fax: 610-832-9555

American National Standards Institute (ANSI)
25 West 43rd Street
4th Floor
New York, N.Y. 10036
Phone: 212-642-4900

AIM-USA 634 Alpha Drive Pittsburgh Pa. 15238-2802 Phone 412-963-8588 Fax 412-963-8753